

Alfatec

machines at your service



T 250

LINEA LEGNO | WOOD LINE | LIGNE BOIS

Toupe verticali ad albero fisso

Vertical fixed shaft molders

Toupies verticales à arbre fixe



T 250 N




T 250 C

CE



T 250 PL



T 250 NCL

CE



Impianto elettrico a norma CE

Electrical system compliant with CE standards

Système électrique conforme aux normes CE



Indicatore gravitazionale elettronico altezza albero (opt)

Electronic gravitational indicator for spindle moulder height (opt)

Indicateur gravitationnel électronique de hauteur d'arbre (en opt)



Protezione per la lavorazione all'albero a norma CE

CE-compliant protection on spindle moulder

Protection pour l'arbre conformément aux normes CE



Guida toupie con protezioni a norma CE

Moulder guide with CE standard protections

Guide toupie avec protections aux normes CE



Posizionamento micrometrico con visore meccanico per guida in entrata che determina la quantità di asportazione materiale

Micrometric positioning with mechanical viewer for entry guide which determines the quantity of material removal

Positionnement micrométrique avec visionneuse mécanique pour guide d'entrée qui détermine la quantité de matière enlevée



Numeratore meccanico per la visualizzazione del posizionamento della guida in riferimento al diametro dell'utensile

Mechanical numerator for displaying the positioning of the guide in reference to the tool diameter

Numérateur mécanique permettant d'afficher le positionnement du guide par rapport au diamètre de l'outil



Dati tecnici Technical data <i>Donnes techniques</i>	T 250 N	T 250 PL	T 250 C	T 250 NCL
Dimensioni piano fisso MM Working table size MM <i>Dimensions de la table fixe MM</i>	1000X750	1000X750	1000X485	1000X750
Dimensioni carrello MM Tenoning table size MM <i>Dimensions du chariot MM</i>	/	/	1000X285	500X300
Corsa utile a tenonare MM Tenoning Stroke MM <i>Course utile a' tenonner MM</i>	/	/	500	800
Dimensioni piano con prolunghe MM Table size with extension MM <i>Dimensions table avec rallonge MM</i>	/	2000X400	/	1500X400
Diametro albero toupie MM Diameter of spindle MM <i>Diametre arbre toupie MM</i>	30/35/50	30/35/50	30/35/50	30/35/50
Diametro massimo utensile rientrante sotto al piano MM Max diameter of tool cutters under the table MM <i>Diametre max de l'outils sous le plan de travail MM</i>	250	250	250	250
Corsa albero MM Stroke of spindle MM <i>Course de l'albre MM</i>	150	150	150	150
Altezza albero sopra al piano (D.30/35/50) MM Height of the molders' shaft above the work table (D.30/35/50) MM <i>Hauteur de l'arbre au-dessous de la table (D.30/35/50) MM</i>	140/140/160	140/140/160	140/140/160	140/140/160
Velocità rotazione albero RPM Speeds of rotation RPM <i>Vitesse rotation arbre RPM</i>	3000/4500/ 6000/8000	3000/4500/ 6000/8000	3000/4500/ 6000/8000	3000/4500/ 6000/8000
Potenza motore autofrenante KW/HP Self-braking motor power KW/HP <i>Puissance moteur auto-freinant KW/HP</i>	4/5.5	4/5.5	4/5.5	4/5.5
Diametro attacco aspirazione MM Suction connection diameter MM <i>Diametre buse d'aspiration MM</i>	120/150	120/150	120/150	120/150
Emissione sonora db(A) Noise level db(A) <i>Pression acoustique db(A)</i>	84.2	84.2	84.2	84.2
Peso netto KG Weight KG <i>Poids KG</i>	430	500	460	500
Dimensioni di imballo MM Packing size MM <i>Dimensions emballage MM</i>	1200X900X1400	2100X1000X1400	1200X900X1400	2100X1500X1600

A richiesta (Optional)
On request (Optional)
Sur demande (Optionnel)

-Motore autofrenante KW 5.5 O 7.5
Self-braking motor KW 5.5 OR 7.5
Moteur auto-freinant KW 5,5 OU 7,5
-Invertitore senso di rotazione a norme CE
Rotation direction inverter compliant with CE standards
Inverseur de sens de rotation conforme aux normes CE
-Prolunga piano sul lato destro per T 250 NCL
Extension top on the right side for T 250 NCL
Extension supérieure côté droit pour T 250 NCL
-Trascinatore
Roller driver
Entraîneur de rouleau

Alfatec

machines at your service



Sede legale

Via XX Settembre, 132
47923 Rimini - RN

Sede Operativa

Via Tavoleto 99,
47832 San Clemente - RN



+39 392 77 66 705
+39 0541 410803



info@alfatecsrl.it

www.alfatecsrl.it



Alfatec srl

P. IVA IT04186770402